

SIMONA



SIMOPOR

Lightweight PVC free-foam sheets

GLOBAL THERMOPLASTIC SOLUTIONS

SIMOPOR – Proven PVC free-foam sheets reinvented

SIMONA's new SIMOPOR product family unlocks new possibilities for creative designs in the field of visual communication and construction. From pure white to vibrant colours, from low flammability to light as a feather – our extended product range includes solutions tailored precisely to your projects.



Key areas of application

SIMOPOR sheets are the perfect choice for those fields of application in which lightweight design and aesthetics are of particular importance. Low weight translates into effortless handling – from initial transport to final finishing.

Areas of use:

- Exhibition and shop design
- Display design
- Printing sector
- Advertising signage
- Room installations
- Furniture making
- Construction and design

Benefiting from a clearly defined profile of properties, you are certain to find a suitable SIMOPOR sheet for your application in no time at all.

Focusing on quality

Our commitment to quality and our ambition to meet customers' exacting demands are firmly enshrined within the company.



The development, production and delivery of our products are conducted in accordance with the strictest possible quality standards. Our integrated quality, environmental and energy management system has been certified in accordance with DIN EN ISO 9001, DIN EN ISO 14001 and DIN EN ISO 50001.



As a co-initiator and holder of the "PVC-Sheet Quality – Made in Germany" quality mark issued by the pro-K Industrial Association for Semi-Finished and Consumer Products made of Plastic, we have committed ourselves to exacting quality standards, in addition to ensuring the best possible manufacturing expertise and a premium-quality service.



During the manufacturing process our in-house digital printing machine produces test specimens on the basis of our white SIMOPOR sheets in order to assess and optimise the quality of our products.

SIMOPOR S
CERTIFIED PREMIUM PVC FOAM SHEET

SIMOPOR SP
FOR PREMIUM DIGITAL PRINTS

SIMOPOR E
BASIC PVC FOAM SHEET

SIMOPOR EP
FOR EFFICIENT DIGITAL PRINTING

SIMOPOR COLOR
COLOURED PVC FOAM SHEETS

Perfect products tailored to your requirements


Be as creative as you like – and put your trust in SIMONA to supply a product that allows you to bring your ideas to life. The new SIMOPOR range includes five different product types engineered for use in specific fields of application.

The thrill of colour

Even the slightest differences in hue can have a significant effect on print quality and a major impact on visual communication as a whole. Our SIMOPOR family includes three shades of white and six individual colours to ensure premium-quality results.

In tune with the environment

We love plastics. And our environment. For many decades now, we have been producing PVC sheets without hazardous lead stabilisers.



SIMOPOR S

SMART



Premium quality for the widest range of applications

SIMOPOR S is our smart allrounder for high-end results. Impressive technical properties combined with the benefits of excellent processability make SIMOPOR S the material of choice for a broad range of applications – from exhibition and shop design through to high-quality room installations. Thanks to its low flammability, this product also offers total peace of mind in those areas in which safety is paramount.

Properties:

- Best mechanical properties and excellent processing capabilities
- Low flammability – perfect for exhibition and display design
- Very good printability due to smooth surface
- Suitable for laminating and spray-painting
- Resilient, including outdoor applications
- Extensive range with excellent choice of thicknesses (1 to 19 mm)

Colour:

- Standard white

SIMOPOR SP

SMART PRINT



Colours come to life

SIMOPOR SP has been designed specifically for digital direct printing. Boasting a unique formula, it delivers superb printing results with brilliant image reproduction. The smooth, finely structured surface finish facilitates ink acceptance even during high-speed processing.

Properties:

- Excellent printability on a wide range of flatbed printers
- Optimised shade of white for vibrant images in digital direct printing
- Excellent ink acceptance
- Suitable for all standard UV and solvent inks
- Very good processing properties
- High level of flatness
- Low flammability
- Suitable for laminating and spray-painting
- Very resilient, including outdoor applications

Colour:

- Functional white
(optimised shade for digital printing)

SIMOPOR E

ECONOMICAL



Quality on a budget

E as in “Economical” – in SIMOPOR E, we have developed a particularly cost-effective solution for signage and short-term design applications. Due to their low weight, the sheets are easy to handle.

Properties:

- Cost-optimised quality for short-term applications
- Low weight
- Easy handling and processability
- Suitable for printing, laminating and spray-painting
- Suitable for temporary outdoor use

Colour:

- Standard white

SIMOPOR EP

ECONOMICAL PRINT



Radiant prints at your fingertips



SIMOPOR EP is our lightweight alternative for print applications. Among its key features are its lightweight design and a pure white hue that will bring complete radiance to your images. This is the perfect choice when it comes to implementing your ideas in a cost-effective manner and experiencing the vibrancy of magnificent colours.

Properties:

- Very good printability thanks to brilliant shade of white
- Sharp image reproduction
- Suitable for all standard UV and solvent inks
- Low weight
- Good processing characteristics
- Simple handling
- Suitable for laminating and spray-painting
- Very resilient, including outdoor applications

Colour:

- Bright white



More colours, more possibilities

SIMOPOR-COLOR are through-coloured PVC free-foam sheets with a perfectly even surface finish. Available in six colours, they open up a wide range of possibilities for exhibition, signage and display design.

Properties:





- Wide range of colours
- Consistent colouring throughout the sheet
- Excellent mechanical properties and very good processability
- Very good surface quality
- Suitable for printing, laminating and spray-painting
- Resilient

Colours:

- Blue
- Yellow
- Green
- Grey
- Red
- Black

One product family – many processing options

Products within the SIMOPOR range can be easily processed using standard tools. Their dimensional stability is excellent.


	Sawing
	Bolting
	Drilling
	Milling
	Backing, laminating
	Water-jet cutting
	Glueing
	Warm bending
	Printing
	Spray-painting
	Die-cutting

SIMOPOR product range and material specifications

Product range

The choice is yours: standard SIMOPOR sheets are available in five different sizes.

Product range

		SIMOPOR S	SIMOPOR SP	SIMOPOR E	SIMOPOR EP	SIMOPOR-COLOR
Extruded sheets (size/thickness in mm)						
	2,440 x 1,220	1 to 19	1 to 10	3 to 10	1 to 10	—
	3,050 x 1,220	1 to 19	1 to 10	—	—	3, 5, 6
	3,050 x 1,530	1 to 19	1 to 10	3 to 19	1 to 10	3, 5, 6, 19 (black only)
	3,050 x 2,030	1 to 15	1 to 10	3 to 10	1 to 10	3, 5, 10 (black only)
	4,050 x 2,030	3, 5, 10	3, 5	—	—	—

All dimensions specified are standard dimensions. Other sizes, thicknesses and colours available on request.

Products in various formats and thicknesses are available from stock. Please contact our sales department for further details concerning availability: sales@simona.de.

Material specifications

Our products are subjected to extensive technical assessments as well as endurance testing. Our in-house laboratory is responsible for testing all material specifications and long-term properties on a continual basis.

Material specifications

		SIMOPOR S	SIMOPOR SP	SIMOPOR E	SIMOPOR EP	SIMOPOR-COLOR
Tensile modulus of elasticity, MPa, DIN EN ISO 527		900	850	700	750	1,000
Flexural modulus of elasticity, MPa, DIN EN ISO 178		1,100	1,000	800	850	1,400
Impact strength, kJ/m ² , DIN EN ISO 179		12	12	9	10	12
Shore hardness D (15 s), DIN EN ISO 868		35	32	25	28	35
Mean coefficient of linear thermal expansion, K ⁻¹ , ISO 11359-2		0.7 x 10 ⁻⁴	0.7 x 10 ⁻⁴	0.7 x 10 ⁻⁴	0.7 x 10 ⁻⁴	0.7 x 10 ⁻⁴
Specific surface resistance, Ohm, DIN IEC 60093		≥ 10 ¹³	≥ 10 ¹³	≥ 10 ¹³	≥ 10 ¹³	≥ 10 ¹³
Fire behaviour	DIN 4102	B1: 1 to 19 mm*	—	—	—	B2 (self-assessment without test certificate)
	NF P 92-501	M1: 3 to 10 mm*	M1: 1 to 10 mm*	—	—	—
	DIN EN 13501-1	Euroclass B-s3-d0: 1 to 19 mm*	Euroclass C-s3-d0: 1 to 10 mm*	—	Tests pending*	—
Temperature range, °C		0 to + 60	0 to + 60	0 to + 60	0 to + 60	0 to + 60

*Test certificate expected to be available from end of September 2019

All specifications are deemed to be approximate values in respect of the specific material and may vary depending on the processing methods used. In general, data specified applies to average values measured on extruded sheets with a thickness of 4 mm. Deviations from the values specified are possible if the sheets in this thickness are not available. Information presented herein is not necessarily applicable to other products (e.g. pipes, solid rods) of the same material or products that have undergone downstream processing. Suitability of materials for a specific field of application must be assessed by the party responsible for processing or the end-user. All technical specifications presented herein are designed merely to provide assistance in terms of project planning. They do not constitute a guarantee of specific properties or qualities.

Welcome to SIMONA – Delivering quality and service



SIMONA is acknowledged as one of the leading producers and development partners in the field of semi-finished thermoplastics. Drawing on our outstanding abilities in process engineering, we specialise in the production of sheets, finished parts, profiles, welding rods, rods, pipes, fittings and valves tailored to the most exacting standards.

You will be able to rely on our extensive know-how and high level of technical expertise in the field of polymer engineering. If you have any questions with regard to the processing of our products, please feel free to contact a staff member at our Technical Service Centre.

i Phone +49(0)67 52 14-587
Fax +49(0)67 52 14-302
TSC@simona.de

SIMONA AG

**Teichweg 16
55606 Kirm
Germany**
Phone +49(0)67 52 14-0
Fax +49(0)67 52 14-211
mail@simona.de
www.simona.de

PRODUCTION SITES

SIMONA Produktion Kirm GmbH & Co. KG

Plant I
Teichweg 16
55606 Kirm
Germany

Plant II
Sulzbacher Straße 77
55606 Kirm
Germany

SIMONA Produktion Ringsheim GmbH & Co. KG

Gewerbestraße 1–2
77975 Ringsheim
Germany

SIMONA Plast-Technik s.r.o.

U Autodílen č.p. 23
43603 Litvínov-Chudeřín
Czech Republic

SIMONA ENGINEERING PLASTICS (Guangdong) Co. Ltd.

No. 368 Jinou Road
High & New Technology Industrial
Development Zone
Jiangmen, Guangdong
China 529000

SIMONA AMERICA Industries LLC.

101 Power Boulevard
Archbald, PA 18403
USA

SIMONA Boltaron Inc.

1 General Street
Newcomerstown, OH 43832
USA

SIMONA PMC LLC.

2040 Industrial Dr.
Findlay, OH 45840
USA

SALES OFFICES

SIMONA S.A.S. FRANCE

43, avenue de l'Europe
95330 Domont
France
Phone +33(0)1 39 35 4949
Fax +33(0)1 39 91 0558
mail@simona-fr.com
www.simona-fr.com

SIMONA UK LIMITED

Telford Drive
Brookmead Industrial Park
Stafford ST16 3ST
Great Britain
Phone +44(0)1785 22244
Fax +44(0)1785 222080
mail@simona-uk.com
www.simona-uk.com

SIMONA AG SWITZERLAND

Industriezone
Bäumlimattstrasse 16
4313 Möhlin
Switzerland
Phone +41(0)61 855 9070
Fax +41(0)61 855 9075
mail@simona-ch.com
www.simona-ch.com

SIMONA S.r.l. SOCIETÀ UNIPERSONALE

Via Volontari del Sangue 54a
20093 Cologno Monzese (MI)
Italy
Phone +39 02 250851
Fax +39 02 2508520
commerciale@simona-it.com
www.simona-it.com

SIMONA IBERICA SEMIELABORADOS S.L.

Doctor Josep Castells, 26–30
Polígono Industrial Fonollar
08830 Sant Boi de Llobregat
Spain
Phone +34 93 635 4103
Fax +34 93 630 8890
mail@simona-es.com
www.simona-es.com

SIMONA Plast-Technik s.r.o.

Paříkova 910/11a
19000 Praha 9 – Vysočany
Czech Republic
Phone +420 236 160 701
Fax +420 476 767 313
mail@simona-cz.com
www.simona-cz.com

SIMONA POLSKA Sp. z o.o.

ul. Wroclawska 36
Wojkowice k / Wroclawia
55-020 Zórawina
Poland
Phone +48(0)71 352 8020
Fax +48(0)71 352 8140
mail@simona-pl.com
www.simona-pl.com

OOO "SIMONA RUS"

Projektiruemy proezd No. 4062,
d. 6, str. 16
BC PORTPLAZA
115432 Moscow
Russian Federation
Phone +7 (499) 683 00 41
Fax +7 (499) 683 00 42
mail@simona-ru.com
www.simona-ru.com

SIMONA FAR EAST LIMITED

Room 501, 5/F
CCT Telecom Building
11 Wo Shing Street
Fo Tan, Hong Kong
China
Phone +852 29 47 0193
Fax +852 29 47 0198
sales@simona-hk.com
www.simona-cn.com

SIMONA ENGINEERING PLASTICS

TRADING (Shanghai) Co. Ltd.
Unit 1905, Tower B, The Place
No. 100 Zunyi Road
Changning District
Shanghai
China 200051
Phone +86 21 6267 0881
Fax +86 21 6267 0885
shanghai@simona-cn.com
www.simona-cn.com

SIMONA INDIA PRIVATE LIMITED

Kaledonia, Unit No. 1B, A Wing
5th Floor, Sahar Road
Off Western Express Highway
Andheri East
Mumbai 400069
India
Phone +91(0)2262 154 053
sales@simona-in.com

SIMONA AMERICA Industries LLC.

101 Power Boulevard
Archbald, PA 18403
USA
Phone +1 866 501 2992
Fax +1 800 522 4857
mail@simona-america.com
www.simona-america.com

SIMONA Boltaron Inc.

1 General Street
Newcomerstown, OH 43832
USA
Phone +1 800 342 7444
Fax +1 740 498 5448
info@boltaron.com
www.boltaron.com

SIMONA PMC LLC.

2040 Industrial Dr.
Findlay, OH 45840
USA
Phone +1 877 289 7626
Fax +1 419 425 0501
info@simona-pmc.com
www.simona-pmc.com

Upon publication of a new edition all previous editions shall become void. The authoritative version of this publication can be found on our website at www.simona.de. All information furnished in this publication reflects our current scope of knowledge on the date of publication and is designed to provide details of our products and potential fields of application (errors and omissions excepted, including typographical mistakes). Any reproduction of this publication or any unconnected use of specific content taken from this publication are strictly prohibited; legal action will be taken in the event of an infringement. Exceptions hereto will require our prior approval in writing.

