

8th September 2025

Statement – Fire Classification according to EN 13501-1

Product:

Ri-Jet Optima P75 Series

This statement defines the fire classification, as per clause 8.2 of EN 13501-1:2018, assigned to the abovementioned product, on the basis of testing conducted on this reference or on a product deemed equivalent for this purpose, at accredited external laboratories, according to the following European standards:

- EN 13501-1:2018 - Fire classification of construction products and building elements - Part 1: Classification using test data from reaction to fire tests.
- EN ISO 11925-2:2020 - Reaction to fire tests for building products - part. 2 -ignitability when subjected to direct impingement of flame.
- EN 13823:2020+A1:2022 - Reaction to fire tests for building products excluding floorings exposed to the thermal attack by a single burning item.

The product, in relation to its fire reaction behavior, is classified:

B

The additional classification in relation to smoke production is:

s1

The additional classification in relation to flaming droplets/particles is:

d0

This classification is valid for the following end use conditions: glued on non-combustible or gypsum plasterboard support/backing.

The format of the reaction to fire classification for construction products except flooring is:

Fire behaviour		Smoke production			Flaming droplets	
B	-	s	1	-	d	0

Please be aware that this document does not represent a type approval or certification of the product under the Construction Products Regulation.

DISCLAIMER: This information is for guidance only and represents our most up-to-date knowledge. It does not constitute any warranty, expressed or implied, and we cannot assume any liability for damage caused through its use. This statement is only intended for the recipient and cannot therefore be transferred to any third party. This publication replaces all previously published versions, and any and all information is subject to change without notice. We cannot assume any liability for using our products in conjunction with other materials. All our products are sold subject to Fedrigoni Self-Adhesives general sales conditions. their materials. All our products are sold subject to Fedrigoni Self-Adhesives general sales conditions.

FEDRIGONI
Self-Adhesives
Ritrama S.p.A.
Registered and head office
Offices and slitting
and distribution centers
Via Senatore Simonetta 24
20867 Caponago, Italy
T +39 02 955 459 1
F +39 02 955 459 01

Share capital
€ 9.000.000 i.v.
VAT number IT 01676140153
Sole shareholder Fedrigoni S.p.A.
Business register MB
Monza e Brianza
Comp. Reg R.E.A. N. 1871535

info.caponago@fedrigoni.com
fedrigoni.com

Production sites
Viale Industrie 30
20060 Basiano (MB), Italy
T +39 02 923 948 1
F +39 02 923 948 39

Polo Ind.le Berbentina
60041 Sassoferrato (AN), Italy
T +39 073 297 061
F +39 073 296 436

Directing and
controlling by
Fiber JVCo S.p.A.

